

***Hemidactylus mabouia* (Tropical House Gecko). Distribution.**

Date of observation: 31 October 2011. Location: Martinique (FWI), Îlet Chancel. Coordinates: 14.691755, -60.891583 by Michel Breuil, one adult. 24 January 2012; Martinique (FWI), Îlet Chancel. Coordinates: 14.694416, -60.894455 one adult, one juvenile; 14.692472, -60.891694 one adult by Karl Questel and Chloé Rodrigues. Voucher: image, by K. Questel. *Hemidactylus mabouia* was found in or close to old buildings and ruins. These observations are the first for this species on this island, where *Thecadactylus rapicauda* is also present but was observed only twice in old trees. *Sphaerodactylus vincenti* is unknown from this islet. (Breuil M, 2011, The terrestrial herpetofauna of Martinique: Past, Present, Future. Pp. 310–338 in *Conservation of Caribbean Island Herpetofaunas*, Volume 2, Hailey A, Wilson BS, Horrocks JA, editors, Leiden, Brill).

Michel Breuil, Muséum national d'Histoire naturelle, Département de Systématique et d'Évolution, Amphibiens-Reptiles, UMR 7205 CNRS, rue Cuvier CP n° 30, 75231

Paris, cedex 05, breuil.michel@gmail.com; **Karl Questel**, La Réserve Naturelle de Saint-Barthélemy, BP 683 Gustavia, 97099 Saint-Barthélemy Cedex, sciencenaturestbarth@gmail.com; and **Chloé Rodrigues**, Office National de la Chasse et de la Faune Sauvage, Cellule technique des Antilles françaises, 5 rue de la dorade. Anse à l'âne, 97229 Les Trois-Ilets. Martinique, Chloé.rodrigues@oncfs.gouv.fr.

Citation: Breuil M, Questel K, Rodrigues C. 2012. *Hemidactylus mabouia* (Tropical House Gecko). Distribution. *Caribbean Herpetology* 26:1.



Published online 28 February 2012